

Request for Quotes for Dewey Avenue Bridge Repairs

Instructions & General Information

The City of Galena is requesting quotes for steel pile repairs on the Dewey Avenue Bridge as detailed in the attached drawings and below. This document and plans are available on the city website: www.cityofgalena.org under Businesses/Bid Solicitations.

Scope of Project

The City of Galena is requesting quotes to complete the work detailed below. All work to be in accordance with the latest versions of the Illinois Standard Specifications for Road and Bridge Construction and City Specifications.

Conditions

1. All work performed under this contract shall be subject to compliance with the Illinois Prevailing Wage Act, including the latest revisions and the Illinois Preference Act. Contractors may be required to submit certified copies of their payroll.
2. The City of Galena shall be exempt from any liability for loss incurred by unsuccessful bidders in preparation for this proposal.
3. The City shall receive sealed quotes to complete the proposed work until:
10:00 AM, Thursday, January 23rd, 2025.
4. The City of Galena will make payment within thirty (30) days after acceptance of the completed work.
5. The City of Galena reserves the right to reject any or all quotes.
6. Contractors must comply with Drug Free Workplace Act (Source: P.A. 86-1459).
7. Questions concerning the project or arranging a site visit with City Staff should be directed to: Matt Oldenburg at 815-777-1050 or mjoldenburg@cityofgalena.org
8. **Work to be completed by February 28, 2025.**

Specifications

General notes:

1. Traffic control: the bridge shall remain open during construction. Coordinate traffic control requirements with the City of Galena.
2. Dimensions are based on limited field measurements. The bridge contractor shall field verify these details before starting construction. All dimensions and details shown in these plans pertinent to fabrication of structural steel shall be verified in the Field by contractor prior to fabrication and repair work.

3. All waste material from removals shall become the property of the contractor, removed from the site and be disposed of properly. Any damage to other portions of the existing structure not noted for removal shall be the responsibility of the bridge contractor and shall be repaired at no additional cost to the owner.
4. All existing concrete to be removed is to be removed to neat lines.
5. The contractor shall report structural steel section loss exposed during removal work to the engineer prior to performing any repair work.
6. Design stresses:
Design stresses for the following materials are in accordance with the AASHTO LRFD Bridge Design Specifications, 8th Ed., Series of 2017. Structural steel in accordance with AASHTO LRFD Section 6, ASTM A709 Grade 50.
7. Repair details are based on an ultimate pile loading of $P_u = 98$ kips.
8. The contractor shall bear the sole responsibility for the design, installation, operation, monitoring, removal and abandonment of the dewatering system to comply with the requirements of these plans and any applicable regulatory agencies. Dewatering operations shall be adequate to assure safe working conditions as required to complete the included repairs. The responsibility for conducting the dewatering operation in a manner which will protect adjacent structures and facilities rests solely with the contractor. The cost of repairing any damage to adjacent structures and restoration of facilities shall be the responsibility of the contractor.
9. Care shall be taken to minimize disturbance to steel surfaces. Remove only loose and/or delaminated steel to enable installation of splice plates. Coatings shall remain to the extent possible.
10. All waste material from removals shall become the property of the contractor, removed from the site and be disposed of properly. Any damage to other portions of the existing structure not noted for removal shall be the responsibility of the contractor and shall be repaired at no additional cost to the owner.
11. The contractor shall dress up the portions of the site that are disturbed during construction. This work shall be considered incidental, and no extra payment will be made.

Attached Drawings and Specifications include:

1. CITY OF GALENA DEWEY AVENUE BRIDGE REPAIRS, GALENA, ILLINOIS, Origin Design.

-Submit Quote on Following Page-

Contractor to complete specified work at following price:

#	ITEM	UNIT	TOTAL AMOUNT \$
1	Dewey Avenue Bridge Repairs: Repair three (3) piles per details on provided drawings; remove existing concrete encasement to extent required for reinforcing installation, maximum 3'-0" below damage to pile; include all work specified in General Notes, Sheet S.2.	Lump Sum	
	TOTAL		

All work to be completed in accordance with specifications described in this request for quotes.

The contractor must visit each site with City staff to view the proposed work in order to determine the extent and nature of the work.

I submit the attached quote for the specified work.

Respectfully submitted:

Company

Date

Title

Signature

Address

Phone

Email

APPROVED BY CITY OF GALENA

Signature

Date